

UNITED STATES PATENT AND TRADEMARK OFFICE

CINITED STATES DEPARTMENT OF COMMERCE Enited States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Bar (1450) Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/000,136	11/02/2001	Joseph C. Salamone	P02873	P02873 8485	
7590 03/23/2005			EXAMINER		
Rita D. Vacca			PENG, KUO LIANG		
Bausch & Lomb Inc. One Bausch & Lomb Place			ART UNIT	PAPER NUMBER	
Rochester, NY 14604-2701			1712		
			DATE MAILED: 03/23/2005	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

Spplemental						
Notice	of Allowability					

Application No.	Applicant(s)	
10/000,136	SALAMONE ET AL.	
Examiner	Art Unit	
Kuo-Liang Peng	1712	

Notice of Allowability	Examiner	Art Unit				
	Kuo-Liang Peng	1712				
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS			
1. This communication is responsive to <u>9/1/04 Response</u> .						
2. The allowed claim(s) is/are 7-13 and 19-28.						
3. The drawings filed on are accepted by the Examine	г.					
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.						
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	5. ☐ Notice of Informal Pa 6. ☑ Interview Summary (Paper No./Mail Date 8), 7. ☑ Examiner's Amendm 8. ☐ Examiner's Statement 9. ☐ Other	(PTO-413), e <u>0305</u> . nent/Comment	·			

Application/Control Number: 10/000,136 Page 2

Art Unit: 1712

DETAILED ACTION

Examiner's Amendment

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview with Mr. Glenn Smith on March 21, 2005.

The application has been amended as follows:

In the specification (last line of [0028]), replace "Chart 1" with -- Figure 1 --

In the specification, after the last line of [0028], insert in separate lines--

Brief Description of The Drawing

Figure 1 Dependence of water content versus refractive index for copolymers based on MPTDS and DMA --.

Delete page 18 from the specification.

Add a drawing as shown in the attached page (Figure 1).

Application/Control Number: 10/000,136

Art Unit: 1712

3. Any inquiry concerning this communication or earlier communications from

the examiner should be directed to Kuo-Liang Peng whose telephone number is

(571) 272-1091. The examiner can normally be reached on Monday-Friday from

8:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the

examiner's supervisor, Randy Gulakowski, can be reached on (571) 272-1302. The

fax phone number for the organization where this application or proceeding is

assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR

only. For more information about the PAIR system, see http://pair-

direct.uspto.gov. Should you have questions on access to the Private PAIR system,

contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

klp

March 21, 2004

Primary Examiner

Page 3

Art Unit 1712

Attachment: Figure 1

Art Unit: 1712

Figure 1

